Work to be completed for: BID PACKET A

Roof System
Sill Seal and 2" X 10" PT Plate on Top of Wall Per Superior Wall Manual
Trusses Per Design
Roof Sheeting to be 5/8" T&G
Ice & Water Shield Min. 2' Beyond Exterior Wall Line
Dark Green 30 Year Architectural Shingles
Full Length Ridge and Center Vent Soffit Venting
Vinyl Soffit and Vinyl Fascia to be White
White 6" Gutter System with Downspouts at All Four Corners
Install 4' Wide Stairs With Max 7" Closed Riser and Minimum 11 1/4" Tread As Indicated on Plans
3/4" T&G Sheeting on Dormer and Second Floor Areas
Gable Ends and Dormer Framing to be Sheeted With Zip System Wall Sheeting or Equivalent
Gable End Sheeting to be Recessed 1" for Foam Board to Receive Stucco-Flex Finish
Contractor Information
Busines Name:
Contact Name:
Address 1 :
Address 2 :
Phone:
Fax:
Email:
HIC#(Unless Exempt):
· · · · · · · · · · · · · · · · · · ·
Total Bid Price For Comlete Bid Packet A:
List any exculsion or substutions:
·
Signature: Submittal Date:

Work to be completed for: BID PACKET B

Exterior Windows and Doors White Vinyl Casement Windows Grade Floor and Dormers RO 3' 4" Wide X 4' 2" High White Vinyl Casement Windows 2 Per Gable End RO 3' 2" Wide X 4' 2" High With Arch Top Min. 2/3 Width Single Entry Steel Doors Full Light With Raise/Lower Blinds RO 3' 4" Wide X 7' High Double Entry Steel Doors Full Light With Raise/Lower Blinds RO 6' 4" Wide X 7' High All Doors to Have Closures Installed All Active Doors to Have, Lever Handles With Exterior Key & Interior Turn Latch - Key Matching Per Owner All Hardware to be Nickel Finish **Contractor Information** Busines Name: _____ Contact Name: _____ Address 1: Address 2 : ______ Phone: Email: ________ HIC#(Unless Exempt): Total Bid Price For Comlete Bid Packet B: List any exculsion or substutions:

Signature:	Submittal Date:

Work to be completed for: BID PACKET C

Exterior Walls Finish

Stucco-Flex Finish System - Direct Applied - Specifications Available at - http://stuccoflex.com/
All Gable end, Dormer, and Trim Foam to have Fiberglass Mesh Applied With Stuccoflex's PRM Plaster
2 Colors - Walls Light Green and Trim Dark Green - Colors to be Picked By Owner
Door Trim to be 1" X 6" and Window & Soffit Freeze Board Trim to be 1" X 4" Structural Foam
Install 1" Structural Foam on Gable and Dormer Walls Per Stucco-Flex Specifications

Contractor Information

Busines Name:	
HIC#(Unless Exempt):	
Total Bid Price For Comlete Bid Packet C:	
List any exculsion or substutions:	
Signature:	Submittal Date:

Work to be completed for: BID PACKET D

Electric Shell -
1 - 400 Amp Underground Service With 2 Meter Hubs and 2 - 200 Disconnects
2- Parallel Runs of 4" RNC From Pole at South West Corner of Propety to Building in Ditch Provided by Excavator
4 Runs of 2" & 1" RNC With Sweeps Ran Under Slab to Indicated Place on Plans
Recessed LED Soffit Lighting Space Every 10' on Eves Ends
Contractor Information
Busines Name:
Contact Name:
Address 1 :
Address 2 :
Phone:
Fax:
Email:
HIC#(Unless Exempt):
Total Bid Price For Comlete Bid Packet D:
List any exculsion or substutions:

Submittal Date:_____

Signature:_____

Work to be completed for: BID PACKET E

Plumbing Shell All Sanitary Drainage to be Schedule 40 PVC Sloped 1/4" Per Foot 4 Runs of 3/4" PEX to be Ran Under Slab to Indicated Place on Plans 4 Runs of 1/2" PEX to be Ran Under Slab to Center of Each Exterior Wall Sections for Vacuum-Breaker Hose Bib Install 4 Vacuum-Breaker Frost Free Hose Bibs at 2' AFF **Contractor Information** Busines Name: ______ Contact Name: Address 1 : _____ Address 2 : _____ Fax: HIC#(Unless Exempt): Total Bid Price For Comlete Bid Packet E: List any exculsion or substutions:

Signature:	Submittal Date:
9	

Work to be completed for: BID PACKET F

Concrete Floor - Wild Rose Inc. Concrete Not Accepted

6 Mill Plastic Vapor Barrier Over #1 or 2B Clean Stone (Stone Supplied and Rough Graded by Excavator)

2' X 8' X 2" Dow Board or Equivalent R-10 Around Inside of Perimeter Under 6 Mill Vapor Barrier

10 Gauge 6" X 6" Welded Wire Mesh Lapped One Square Throughout

1/2" Expansion Joint/Thermal Break Along All Exterior Walls

Minimum 4" Thick 3,000 PSI Concrete With Control Joints Per ACI 318 and Finished for VCT Flooring

Contractor Information	
Busines Name:	
Contact Name:	
Address 1 :	
Address 2 :	
Phone:	
Fax:	
Email:	
HIC#(Unless Exempt):	
Total Bid Price For Comlete Bid Packet F:_ List any exculsion or substutions:	
Signature:	Submittal Date:

Work to be completed for: BID PACKET G

Insulation - Ceiling and Exterior W	<i>l</i> alls
R-38 Faced Installed Before Drywall Between Bottom C	ords of Roof Trusses and Extend over Exterior Walls
R-10 Foam Insulation Installed in Superior Wall Stud Cavit	tes at all Finished areas of Office and Conference Room
Insulation - Interior Walls	
R-11 Faced in All Interior Wall Stud Cavities.	
Contractor Information	
Busines Name:	
Contact Name:	
Address 1 :	
Address 2 :	
Phone:	
Fax:	
Email:	
HIC#(Unless Exempt):	
Total Bid Price For Comlete Bid Packet G:	
List any exculsion or substutions:	
Signature:	Submittal Date:

Work to be completed for: BID PACKET H

Drywall Ceiling
5/8" Type X Applied to Bottom of Complete Truss System - 1 Coat Taped, Mudded, and Sanded
Drywall Walls - Conference and Office Areas Only
5/8" Type X Drywall Applied Full Height Both Sides on All Interior and Exterior Walls of Conference and Office Area
Tape and Finish to Prepare for Semi Gloss Paint
Contractor Information
Busines Name:
Contact Name:
Address 1 :
Address 2 :
Phone:
Fax:
Email:
HIC#(Unless Exempt):
Total Bid Price For Comlete Bid Packet H:
List any exculsion or substutions:
Signature: Submittal Date:

Work to be completed for: BID PACKET I

Interior Framing
2" X 4" X Full Height to Bottom of Truss (approx. 9' 9") @ 16" OC
Blocking Installed in Toilet Rooms for Mounting Grab Bars and other Accessories
All Doors RO 3' 2" X 6' 10" and Reception/Office Window RO 4' 2" Wide X 3' 2" High
Contractor Information
Busines Name:
Contact Name:
Address 1 :
Address 2 :
Phone:
Fax:
Email:
HIC#(Unless Exempt):
Total Bid Price For Comlete Bid Packet I:
List any exculsion or substutions:
,

Submittal Date:_____

Signature:

Work to be completed for: BID PACKET J

Interior Electric	
Lighting to be Max 1 Watt Per Sq. Ft. With Either 2 or 4 Bulb Troffer Lights	
Each Room Wired to Motion Activated Switch with Manual Override	
No NM (Romex) Wiring	
Minimum 12 AWG Copper Conductor With Minimum 20 AMP Over current	
Receptacles and Switching to be Ivory in Color and Mounted Max 48" Top and Min 15" Bottom of Boxe	
Panel to be 100 AMP Main With Min. 20 Spaces	
Contractor Information	
Busines Name:	
Contact Name:	
Address 1 :	
Address 2 :	
Phone:	
Fax:	
Email:	
HIC#(Unless Exempt):	
Total Bid Price For Comlete Bid Packet J:	
List any exculsion or substutions:	
Signature: Submittal Date:	

Work to be completed for: BID PACKET K

Interior Plumbing
All Sanitary Drainage and Venting to be Schedule 40 PVC Sloped 1/4" Per Foot
Each Plumbing Fixture to Have its Own Vent
As Many Vents as Feasible to be Tied Together to Limit Roof Penetrations.
Distribution Lines to be Min 3/4" PEX and Supply Lines to be Min 1/2" PEX
All Fixtures to Have 1/2" PEX Supply With Shutoff Valves Either At Fixture or At Manifold
Mount All Fixtures, Their Accessories and Grab Bars Per Plans
Mount 5 Gallon Electric Water Heater on Wall by Mop Sink
Bi-Level Drinking Fountain by Halsey Taylor Model HTV8BL TTG or Equal
Contractor Information
Busines Name:
Contact Name:
Address 1 :
Address 2 :
Phone:
Fax:
Email:
HIC#(Unless Exempt):
Total Bid Price For Comlete Bid Packet K:
List any exculsion or substutions:
Cignoturos Cubmittal Data:

Work to be completed for: BID PACKET L

Interior Mechanical

Signature:_____

90 Plus Efficiency Natural Gas Units With AC Condensers Installed at Locations Indicated on Plans Units to be Vented Through Roof on Rear of Building

Minimium 50 CFM Toilet Room Exhaust Fans are to be Vented Through Roof on Rear of Building

Contractor Information	
Busines Name:	
Contact Name:	
Address 1 :	
Address 2 :	
Phone:	
Fax:	
Email:	
HIC#(Unless Exempt):	
Total Bid Price For Comlete Bid Packet L:	
List any exculsion or substutions:	

Submittal Date:_____

Work to be completed for: BID PACKET M

Interior Painting - Walls and Ceilings

All Drywall on Walls and Ceilings to be Primed

All Drywall on Walls to be Painted with Semi Gloss Paint - Room Colors to be Choosen by Owner

*** ALT BID OF PAINTING DOORS AND TRIM

Contractor Information

Busines Name:	
Address 2 :	
Phone:	
Fax:	
Email:	
HIC#(Unless Exempt):	
List any exculsion or substutions:	
List any exculsion or substutions:	
Signature:	Submittal Date:

Work to be completed for: BID PACKET N

Interior Doors and trim
Doors to be Raised Panel Hollow Core Primed
All Trim to be Primed
All Hardware to be Nickel Finish
All Conference and Tiolet Room Doors to Have Closures
Doors to have Lever Handles with Privacy Locks
*** ALT All Trim (Jams, Base, & Casing) and Doors (Raised Panels) to be Real Wood, Stained and Polyurethane
Contractor Information
Busines Name:
Contact Name:
Address 1 :
Address 2 :
Phone:
Fax:
Email:
HIC#(Unless Exempt):
Total Bid Price For Comlete Bid Packet N:
List any exculsion or substutions:
·
·
·
Signature: Submittal Date:

Work to be completed for: BID PACKET O

Finished Flooring

Signature:

Office and Halls to Receive Commercial Grade Carpet - Color to be Choosen by Owner

Conference area, Toilet Rooms, Mechancial Rooms, and Storage Rooms to Receive VCT - Color to be Choosen by Owner

Contractor Information	
Busines Name:	
Contact Name:	
Phone:	
Fax:	
Email:	
HIC#(Unless Exempt):	
Total Bid Price For Comlete Bid Pack	eet O:
List any exculsion or substutions:	

Submittal Date:_____

Work to be completed for: BID PACKET P

Side Walks - Wild Rose Inc. Concrete Not Accepted
5,000 PSI, 4" thick with Exposed Edge 10" X 10" Thick and 1 #3 Bar at 4" In and 4" Down
8' Wide around Whole Perimeter of Building
10 Gauge 6" X 6" Welded Wire Mesh Lapped One Square Throughout
1/2" Thermal Break to be Installed Between Walk and Wall
Walk to be Pinned to Wall Every 2' with #3 Bar
Sloped 1/8" Per Ft Away From Building and Have a Broom Finish
*** ALT Brown Dye Added In Mix or On Top During Finishing and Stamped Crete with Variable Texture Option
Contractor Information
Busines Name:
Contact Name:
Address 1 :
Address 2 :
Phone:
Fax:
Email:
HIC#(Unless Exempt):
Total Bid Price For Comlete Bid Packet P:
List any exculsion or substutions:
Signature: Submittal Date: